




PE 100 SDR 11(PN16) & SDR 17(PN10)
Short Step Reducer (Injection)

Standard: TS EN 1555-3:2010 + A1 • TS EN 12201-3 + A1

		L	L1	Z	
Size (mm)	Pressure (Bar)	(mm)	(mm)	(mm)	Weight (kg)
d-d1					
630-400	PN 10	41	38	275	20,850
	PN 16	41	38	275	21,705





PE 100 SDR 11(PN16) & SDR 17(PN10)
Short Type Reducer (Injection)

Standard: TS EN 1555-3:2010 + A1 • TS EN 12201-3 + A1

Size (mm)	Pressure (Bar)	L	L1	Z	Weight (kg)
		(mm)	(mm)	(mm)	
d-d1					
800-710	PN 6	60	60	150	11,270
	PN 10	60	60	150	16,020
	PN 16	60	60	150	22,720
900-800	PN 6	60	60	150	14,250
	PN 10	60	60	150	20,260
	PN 16	60	60	150	28,760
1000-900	PN 6	60	60	150	17,480
	PN 10	60	60	150	25,030
	PN 16	60	60	150	35,660
1200-1000	PN 6	60	60	150	26,020
	PN 10	60	60	150	36,040
	PN 16	60	60	150	50,140
1400-1200	PN 6	90	60	210	53,640
	PN 10	90	60	210	73,120
1600-1400	PN 6	70	95	200	73,240
	PN 10	70	95	200	97,990

